Enduraliner[™] Measuring Form

Quote#	
Date	

For Custom In-Ground Pool Liners


Pool Owner Name ools Inc Address City _____ St ____ Zip _____ swimming in knowledge[™].COM Fax _____ Phone ____ www.poolsinc.com ~ sales@poolsinc.com E-Mail Address phone: 800-464-9898 ~ fax: 877-711-3359 Your Signature Your signature indicates that you have verified your measurements and that the information you have provided is correctour new vinyl liner will be made to these specifications once you place your order. (Orders cannot be processed without your signature) LINER TYPE LINER PATTERN Beaded Pattern Name: Pool Deck Mil (check one): 🗆 20mil 🖵 27mil 🗔 28mil 🗔 30mil Low Hung Beaded Beaded CORNER TYPE Overlap ···· How many inches of liner Check your corner type below & enter measurements where required: do you need for the overlap? _ Low Hung Beaded Cut Corner Point 1 to Bint 2: ____ If you selectedBeaded' or "Low Hung Beaded please also 90 Degree Corner No measurements required for indicate below if your liner istandard or Reverse bead: square corners. 90 Standard Bead Reverse Bead "Lip" of "Lip" of Receiver is Receiver is on - Imaginary Lines the bottom on the top Radius/Rounded Point 1 to Point 2: Corner - Liner Pool WalL -l iner -Edge of Pool PoolWall HOPPER TYPE Check one & fill in measurements on the form to the right: Fill in all measurements that apply to your hopper type: A. Standard Hopper B. Wedge Hopper C_____ft___in Pool End Pool End Pool SideView Pool Side View View View C1_____ft____in — E – **⋴**┼**╞**╎╕<mark>║</mark>┍[╎]╕┼╞ D_____ft ____in -G-·H**I ← ∎-⊳**-H ft C. Constant Slope Hopper D. Safety Ledge Hopper in F _____ft ____ln Pool End Pool End Pool SideView Pool SideView F View View G_____ft___in - F -|G|≪F ►|≪ E -► - 11 -D H_____ft____in Are you measuring the bottom of your pool correctly? _____ft _____in H, Be sure you are NOT measuring the slopes when taking horizontal bottom measurements. We only use measurements parallel to the deck. See the diagrams below for the correct way to measure a coved bottom. _____ft _____in 15 ft. 6 in. 15 ft. 6 in. J _____ft _____in RIGHT WRONG GR Gin

6 ft. 6 in.


4 ft. 6 in. 6 ft. 6 in.

4 ft. 6 in.

POOL SHAPE




NOTE: Diagonal measurements must be taken to imaginary squared off corners of your pool if you have radius or cutoff corners. (i.e. diagonal measurement Q & R on the rectangular pool)



Measure to imaginary point 1, NOT the edge of the pool

Dimensions: Please transfer all of the measurements you have taken into the appropriate spaces below. NOTE: you may not use all the letters below, depending on your pool shape.




Please check one:

- □ Fiberglass (No Further Measurements Needed)
- □ Vinyl Covered (Fill Out the Section on Pg. 3)

What is the Step Position?

Please circle the position that best describes the location of your step and provide measurements (Y) and (A).



HELPFUL HINTS

Measuring the pool bottom without entering the pool:

You will be able to make horizontal measurements of you pool bottom without entering the pool. Taking these measurements is easier than you may think, when you use this easy-to-make measuring tool.

You will need:

- 1. A long straight pole (telepole) "fishing pole"
- 2. String attached to one end of the pole
- 3. Some sort of weight tied to the other end of the string
- 4. A measuring tape

Follow the instructions below, using your fishing pole, to make these measurements.

Horizontal Bottom Measurements: Use your "fishing pole" to "fish" for a point on the bottom of the pool. With the pole to the ends of the pool and the string vertical (allow no

bolloni of the pool. With the pole to the ends of the pool and the standy vehicle (allow no

slack in the string), measure the distance from the edge of the pool (water's edge) to the end of the pole where string is attached. You should "fish" for points that will achieve the desired measurements based on the bottom contour of your pool (pictured on page 1).

For example, to take measurement (H), you would stand on one side of the pool, and "fish" for a corner of the Hopper. You would then measure the distance from the edge of the pool (water's edge) to the end of the pole where the string is attached.

Depth measurements: When taking the depth measurements (C) and (J), be sure to measure from the bottom of the pool floor to the bead receiver (for beaded liners) OR to the board where the liner is nailed or stapled (for overlap liners). Do **not** measure to the top of the pool if you have a bead receiver, your measurement will be incorrect.

